ELSEVIER

Neuroscience Letters 362 (2004) 266–268

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 362

Volume 362, nos. 1

EEG alpha power changes reflect response inhibition deficits after traumatic brain injury (TBI) in humans
R.A.P. Roche, P.M. Dockree, H. Garavan, J.J. Foxe, I.H. Robertson, S.M. O'Mara (Ireland, USA) 1

No effect of MDMA (ecstasy) on cell death and 5-HT_{2A} receptor density in organotypic rat hippocampal cultures
M.-L. Sveen, G.M. Knudsen, S. Aznar (Denmark) 6

Human reactions to physical stimulus and the removal of such stimulus as recorded by magnetoencephalography
T. Shirai, K. Inoue, A. Hashizume, K. Nakanishi, T. Harada, Y. Mimori, M. Matsumoto (Japan) 10

Involvement of insulin-like growth factor binding protein-2 in activated microglia as assessed in post mortem human brain
D. Chesik, J. De Keyser, N. Wilczak (The Netherlands) 14

Effect of diets with different magnesium content in ischemic stroke rats
C. Demougeot, S. Bobillier-Chaumont, C. Mossiat, C. Marie, A. Berthelot (France) 17

Heterogeneous expression of CD59 on human Purkinje cells
A. Storstein, A. Knudsen, L. Bjørge, S. Meri, C. Vedeler (Norway, Finland) 21

CD45 isoform RB as a molecular target to oppose lipopolysaccharide-induced microglial activation in mice
K.P. Townsend, M. Vendrame, J. Ehrhart, B. Faza, J. Zeng, T. Town, J. Tan (USA) 26

Changes of motor cortical excitability in human subjects from wakefulness to early stages of sleep: a combined transcranial magnetic stimulation and electroencephalographic study
P. Manganotti, G. Fuggetta, A. Fiaschi (Italy) 31

Clozapine prolongs hypotonic immobility in rats with bilateral 6-hydroxydopamine lesions of the striatum
G.E. Jaskiw, G. Hussain, S.E. Stephans, B.K. Yamamoto, H.Y. Meltzer (USA) 35

Effect of naloxone-precipitated morphine withdrawal on *c-fos* expression in rat corticotropin-releasing hormone neurons in the paraventricular hypothalamus and extended amygdala
A.S. Hamlin, K.M. Buller, T.A. Day, P.B. Osborne (Australia) 39

Activation of the human sensorimotor cortex during error-related processing: a magnetoencephalography study
B. Stemmer, M. Vihla, R. Salmelin (Canada, Finland) 44

Phase shift detection in thalamocortical oscillations using magnetoencephalography in humans
J.P. Bish, T. Martin, J. Houck, R.J. Ilmoniemi, C. Tesche (USA, Finland) 48

Presence of translation elongation factor-1A in the rat cerebellar postsynaptic density
I.S. Moon, S.-J. Cho, J.S. Jung, I.S. Park, D.K. Kim, J.T. Kim, B.H. Ko, I. Jin (South Korea) 53

Location of bladder and urethral sphincter motoneurons in the male guinea pig (*Cavia porcellus*)
R. Kuipers, Z. Izhar, P.O. Gerrits, W. Miner, G. Holstege (The Netherlands, UK) 57

Crocin prevents the death of rat pheochromyctoma (PC-12) cells by its antioxidant effects stronger than those of α-tocopherol
T. Ochiai, S. Ohno, S. Soeda, H. Tanaka, Y. Shoyama, H. Shimeno (Japan) 61

Responsiveness of human nasal mucosa to trigeminal stimuli depends on the site of stimulation
J. Frasnelli, S. Heilmann, T. Hummel (Germany) 65

Volume 362, no. 2

L-Histidine stimulates sympathetic nerve activity to brown adipose tissue in rats
T. Yasuda, T. Masaki, S. Chiba, T. Kakuma, T. Sakata, H. Yoshimatsu (Japan) 71

Lesions of the medial pallium, but not of the lateral pallium, disrupt spaced-trial avoidance learning in goldfish (*Carassius auratus*)
M. Portavella, B. Torres, C. Salas, M.R. Papini (Spain, USA) 75

Striatal tyrosine hydroxylase immunoreactive neurons are induced by L-dihydroxyphenylalanine and nerve growth factor treatment in 6-hydroxydopamine lesioned rats
C. Jollivet, C.N. Montero-Menei, M.-C. Venier-Julienne, A. Sapin, J.-P. Benoit, P. Menei (France) 79

ELSEVIER

Neuroscience Letters 362 (2004) 266–268

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 362

Volume 362, nos. 1

EEG alpha power changes reflect response inhibition deficits after traumatic brain injury (TBI) in humans
R.A.P. Roche, P.M. Dockree, H. Garavan, J.J. Foxe, I.H. Robertson, S.M. O'Mara (Ireland, USA) 1

No effect of MDMA (ecstasy) on cell death and 5-HT_{2A} receptor density in organotypic rat hippocampal cultures
M.-L. Sveen, G.M. Knudsen, S. Aznar (Denmark) 6

Human reactions to physical stimulus and the removal of such stimulus as recorded by magnetoencephalography
T. Shirai, K. Inoue, A. Hashizume, K. Nakanishi, T. Harada, Y. Mimori, M. Matsumoto (Japan) 10

Involvement of insulin-like growth factor binding protein-2 in activated microglia as assessed in post mortem human brain
D. Chesik, J. De Keyser, N. Wilczak (The Netherlands) 14

Effect of diets with different magnesium content in ischemic stroke rats
C. Demougeot, S. Bobillier-Chaumont, C. Mossiat, C. Marie, A. Berthelot (France) 17

Heterogeneous expression of CD59 on human Purkinje cells
A. Storstein, A. Knudsen, L. Bjørge, S. Meri, C. Vedeler (Norway, Finland) 21

CD45 isoform RB as a molecular target to oppose lipopolysaccharide-induced microglial activation in mice
K.P. Townsend, M. Vendrame, J. Ehrhart, B. Faza, J. Zeng, T. Town, J. Tan (USA) 26

Changes of motor cortical excitability in human subjects from wakefulness to early stages of sleep: a combined transcranial magnetic stimulation and electroencephalographic study
P. Manganotti, G. Fuggetta, A. Fiaschi (Italy) 31

Clozapine prolongs hypotonic immobility in rats with bilateral 6-hydroxydopamine lesions of the striatum
G.E. Jaskiw, G. Hussain, S.E. Stephans, B.K. Yamamoto, H.Y. Meltzer (USA) 35

Effect of naloxone-precipitated morphine withdrawal on *c-fos* expression in rat corticotropin-releasing hormone neurons in the paraventricular hypothalamus and extended amygdala
A.S. Hamlin, K.M. Buller, T.A. Day, P.B. Osborne (Australia) 39

Activation of the human sensorimotor cortex during error-related processing: a magnetoencephalography study
B. Stemmer, M. Vihla, R. Salmelin (Canada, Finland) 44

Phase shift detection in thalamocortical oscillations using magnetoencephalography in humans
J.P. Bish, T. Martin, J. Houck, R.J. Ilmoniemi, C. Tesche (USA, Finland) 48

Presence of translation elongation factor-1A in the rat cerebellar postsynaptic density
I.S. Moon, S.-J. Cho, J.S. Jung, I.S. Park, D.K. Kim, J.T. Kim, B.H. Ko, I. Jin (South Korea) 53

Location of bladder and urethral sphincter motoneurons in the male guinea pig (*Cavia porcellus*)
R. Kuipers, Z. Izhar, P.O. Gerrits, W. Miner, G. Holstege (The Netherlands, UK) 57

Crocin prevents the death of rat pheochromyctoma (PC-12) cells by its antioxidant effects stronger than those of α-tocopherol
T. Ochiai, S. Ohno, S. Soeda, H. Tanaka, Y. Shoyama, H. Shimeno (Japan) 61

Responsiveness of human nasal mucosa to trigeminal stimuli depends on the site of stimulation
J. Frasnelli, S. Heilmann, T. Hummel (Germany) 65

Volume 362, no. 2

L-Histidine stimulates sympathetic nerve activity to brown adipose tissue in rats
T. Yasuda, T. Masaki, S. Chiba, T. Kakuma, T. Sakata, H. Yoshimatsu (Japan) 71

Lesions of the medial pallium, but not of the lateral pallium, disrupt spaced-trial avoidance learning in goldfish (*Carassius auratus*)
M. Portavella, B. Torres, C. Salas, M.R. Papini (Spain, USA) 75

Striatal tyrosine hydroxylase immunoreactive neurons are induced by L-dihydroxyphenylalanine and nerve growth factor treatment in 6-hydroxydopamine lesioned rats
C. Jollivet, C.N. Montero-Menei, M.-C. Venier-Julienne, A. Sapin, J.-P. Benoit, P. Menei (France) 79

Neuron-specific expression of neuroglobin in mammals
T.L. Laufs, S. Wystub, S. Reuss, T. Burmester, S. Saaler-Reinhardt, T. Hankeln (Germany) 83
The role of *Period1* in non-photic resetting of the hamster circadian pacemaker in the suprachiasmatic nucleus
T. Hamada, M.C. Antle, R. Silver (Japan, USA) 87
The A9 allele of the dopamine transporter gene increases the risk of visual hallucinations during alcohol withdrawal in alcohol-dependent women
F. Limosin, J.-Y. Loze, C. Boni, L.-P. Fedeli, M. Hamon, F. Rouillon, J. Adès, P. Gorwood (France) 91
Motor cortex excitability in Alzheimer's disease and in subcortical ischemic vascular dementia
G. Alagona, R. Ferri, G. Pennisi, A. Carnemolla, T. Maci, E. Domina, A. Maertens de Noordhout, R. Bella (Italy, Belgium) 95
Interleukin-6 promoter polymorphism: risk and pathology of Alzheimer's disease
Y. Zhang, A. Hayes, A. Pritchard, U. Thaker, M.S. Haque, H. Lemmon, J. Harris, A. Cumming, J.-C. Lambert, M.-C. Chartier-Harlin, D. St. Clair, T. Iwatsubo, D.M. Mann, C.L. Lendon (UK, France, Japan) 99
Ghrelin effects on gonadotropin secretion in male and female rats
R. Fernández-Fernández, M. Tena-Sempere, E. Aguilar, L. Pinilla (Spain) 103
Nitric oxide-mediated alterations of protein tyrosine phosphatase activity and expression during hypoxia in the cerebral cortex of newborn piglets
Q.M. Ashraf, S.H. Haider, C.D. Katsetos, M. Delivoria-Papadopoulos, O.M. Mishra (USA) 108
Proton magnetic resonance spectroscopy in ecstasy (MDMA) users
J. Daumann, T. Fischermann, U. Pilatus, A. Thron, W. Moeller-Hartmann, E. Gouzoulis-Mayfrank (Germany) 113
Forskolin cooperating with growth factor on generation of dopaminergic neurons from human fetal mesencephalic neural progenitor cells
X. Wang, X. Li, K. Wang, H. Zhou, B. Xue, L. Li, X. Wang (PR China) 117
Pravastatin, a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, reduces delayed neuronal death following transient forebrain ischemia in the adult rat hippocampus
M. Daimon, S. Aomi, T. Kawamata, H. Kurosawa (Japan) 122
Prostaglandin E_2 regulates amyloid precursor protein expression via the EP2 receptor in cultured rat microglia
A.M. Pooler, A.A. Arjona, R.K. Lee, R.J. Wurtman (USA) 127
Morphological and conduction changes in the sciatic nerve of spontaneously hypertensive rats
D. Tomassoni, E. Traini, L. Vitaioli, F. Amenta (Italy) 131
Ursolic acid protects hippocampal neurons against kainate-induced excitotoxicity in rats
Y.-H. Shih, Y.-C. Chein, J.-Y. Wang, Y.-S. Fu (Taiwan) 136
Acupuncture suppresses intrastriatal hemorrhage-induced apoptotic neuronal cell death in rats
N.-H. Cho, J.-D. Lee, B.-S. Cheong, D.-Y. Choi, H.-K. Chang, T.-H. Lee, M.-C. Shin, M.-S. Shin, J. Lee, C.-J. Kim (South Korea, USA) 141
Expression of calcitonin gene-related peptide type 1 receptor mRNA and their activity-modifying proteins in the rat nucleus accumbens
N. Li, C.-Y. Fang, Z.-Z. Wang, Y.-L. Wang, F.-B. Wang, E. Gao, G.-X. Zhang (People's Republic of China) 146
Lack of role for the vanilloid receptor in response to several inspired irritant air pollutants in the C57Bl/6J mouse
P.T. Symanowicz, G. Gianutsos, J.B. Morris (USA) 150
Intracellular coexpression of endothelin-1 and inducible nitric oxide synthase underlies hypoperfusion after traumatic brain injury in the rat
D. Rafols, J. Steiner, J.A. Rafols, T. Petrov (USA) 154
Localization of the Cl^--ATPase activity on NAP-22 enriched membrane microdomain (raft) of rat brain
S. Maekawa, K. Taguchi (Japan) 158
Interactions between tactile and noxious visceral inputs in rat nucleus gracilus
P.-J. Rong, J.-L. Zhang, H.-Q. Zhang (Hong Kong, China) 162

Volume 362, no. 3

Shortening of hippocampal spin-spin relaxation time in probable Alzheimer's disease: a ^1H magnetic resonance spectroscopy study
A.P. Haley, J. Knight-Scott, K.L. Fuchs, V.I. Simnad, C.A. Manning (USA) 167
A single pulmonary mechano-sensory unit possesses multiple encoders in rabbits
J. Yu, J. Zhang (USA) 171
The human pulvinar and attentional processing of visual distractors
G.A. Michael, S. Desmedt (France) 176
Pharmacological but not physiological concentrations of melatonin reduce iron-induced neuronal death in rat cerebral cortex
C.L. Hayter, G.M. Bishop, S.R. Robinson (Australia) 182
Alterations in monoamine levels after cocaine-induced status epilepticus and death in striatum and prefrontal cortex of mice
D.S. Macêdo, S.M.M. Vasconcelos, L.D. Belchior, R.S. Santos, G.S.B. Viana, F.C.F. Sousa (Brazil) 185
Serotonin transporter polymorphism related to amygdala excitability and symptom severity in patients with social phobia
T. Furmark, M. Tillfors, H. Garpenstrand, I. Marteinsdottir, B. Långström, L. Oreland, M. Fredrikson (Sweden) 189
Gender differences in hemispheric organization during divergent thinking: an EEG investigation in human subjects
O.M. Razumnikova (Russia) 193
Essential components for a glutamatergic synapse between Merkel cell and nerve terminal in rats

I.S. Hitchcock, P.G. Genever, P.M.B. Cahusac (UK) 196
Rat bone marrow mesenchymal stem cells express glial markers and stimulate nerve regeneration
M. Tohill, C. Mantovani, M. Wiberg, G. Terenghi (UK, Sweden) 200
Mismatch negativity to frequency changes: no evidence from human event-related brain potentials for categorical speech processing of complex tones resembling vowel formant structure
T. Jacobsen (Germany) 204
Putrescine as a marker of the effects of 2-chloropropionic acid in the rat brain
N. de Vera, L. Camón, E. Martínez (Spain) 209
Cholecystokinin and prostaglandins inhibit responses of vagal afferent activity to systemic administration of nicotine in anesthetized rats
M. Kurosawa, T. Taniguchi, M. Yoneda (Japan) 213
Ischemic preconditioning decreases intracellular zinc accumulation induced by oxygen-glucose deprivation in gerbil hippocampal CA1 neurons
T. Miyawaki, H. Yokota, K. Oguro, K. Kato, K. Shimazaki (Japan) 216
Chronic ethanol inhibits CXC chemokine ligand 10 production in human A172 astroglia and astroglial-mediated leukocyte chemotaxis
R.L. Davis, P.J. Syapin (USA) 220
Protective effects of *S*-nitrosoglutathione against neurotoxicity of 3-nitropropionic acid in rat
T.-C. Ju, Y.-T. Yang, D.-I. Yang (Taiwan) 226
Locomotor recovery and mechanical hyperalgesia following spinal cord injury depend on age at time of injury in rat
Y.S. Gwak, B.C. Hains, K.M. Johnson, C.E. Hulsebosch (USA) 232
Spinal pathways mediating coeruleospinal antinociception in the rat
M. Tsuruoka, M. Maeda, I. Nagasawa, T. Inoue (Japan) 236
The KCNQ channel activator retigabine blocks haloperidol-induced c-Fos expression in the striatum of the rat
J.D. Mikkelsen (Denmark) 240
Both 3,4-dihydroxyphenylalanine and dopamine releases are regulated by Ca^{2+}-induced Ca^{2+} releasing system in rat striatum
G. Zhu, M. Okada, S. Yoshida, S. Hirose, S. Kaneko (Japan) 244
Synaptic stimulation of *Aplysia* peptidergic neurons can activate hormone secretion in the absence of an afterdischarge
N.L. Wayne, S. Michel (USA) 249
Glutamate-induced cell death of immortalized murine hippocampal neurons: neuroprotective activity of heme oxygenase-1, heat shock protein 70, and sodium selenite
O.G. Rössler, I. Bauer, H.-Y. Chung, G. Thiel (Germany, South Korea) 253
Folic acid in the monkey brain: an immunocytochemical study
A. Mangas, R. Coveñas, K. Geffard, M. Geffard, P. Marcos, R. Insausti, M.P. Dabadie (France, Spain) 258

Author Index 264
Volume of Contents 265
Contents continued 269